



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

52. The Flower of *Yucca* and its Fertilization.—The flowers of all the species are more or less pendulous, open towards evening, and remain wide open through the night and half close in the morning, continuing in that condition until one or two days afterwards, when they drop off, or, if fertilized, wither and become erect. The sagittate anthers open a little before the flowers do, curve backward, and contract to about one-fourth their former size, and thus expel the heavy, somewhat gelatinous pollen-grains, which remain in different little lumps within the flowers. What we usually call the stigma is the style, or rather, the three styles; these together form the stigmatic tube, their edges conniving and their inner sides, the inner coating of the tube, exhibiting the stigmatic surface. This tube is directly connected with the ovarian cells. The pollen, introduced into the tube, begins to develop and to enter upon its functions. But, without artificial aid, it never gets into it. Nocturnal insects are the agents—in our gardens, at least, a white moth of the genus *Tortrix*. If, about sunset, when the flower is fully open, we take up the pollen-lumps from the flower, and, with a camel-hair brush, well introduce them into the stigmatic tube, we may supply the action of insects wanting in Northern or European gardens, far away from the native home of the *Yuccas*, and succeed in producing fruit and seed, which thus far are almost unknown in cultivation.

ST. LOUIS, June, 1872.

DR. GEORGE ENGELMANN.

53. *Botrychium matricariæfolium*, A. Braun.—I send you a couple of specimens of this fern, from a locality in the neighborhood of Utica which I found last summer.

I sent specimens to Prof. Eaton, who pronounced it *B. matricariæfolium*, and stated that he had received it from Lake Superior, and from Susquehanna Co., Pa. He also stated that almost the same thing was found in this vicinity several years ago, by Mr. Paine, but that the specimen sent him by Mr. Paine was so imperfect that he passed it over as a form of *B. lanceolatum*.

I have not conferred with Paine about it; but, as he says nothing of it in his catalogue, it seems fair to conclude that he did not know of this locality.

It grows on the sides of a shady ravine some four miles from the city. I found growing side by side with it; *B. Virginicum*, Swartz; *B. Virginicum*, var. *gracile*, Pursh; *B. lunarioides*, Swartz; *B. lanceolatum*, Angstroem.

The specimens I send were gathered June 29, 1872. The locality is quite limited in extent, but the plant seems abundant. Why has not Prof. Eaton described this species in the Manual? It is the same as Wood's *B. neglectum*, of course.

I found quite a curiosity at the Mud Lake Swamp (Paine's Catalogue) a few days ago—several specimens of *Cypripedium spectabile*, Swartz, with the labellum double, the two being quite distinct throughout, and about two-thirds the size of the ordinary flower, and all the other parts of the flower single.

EDWIN HUNT.

UTICA, N. Y., July 7, 1872.

54. Bees puncturing Flowers.—This spring we received from Lewis